January-July 1968

ELECTRONIC DESIGN
semiannual index of articles

The articles in the various sections of this index are grouped under key words that indicate their general topics. An article is listed more than one time if it has to do with more than one general topic.

Automatic Controls and Servos

COMPUTERS, CONTROL: Honeywell announces 32-bit control computer . . . NEWS, ED 8, p. 22

FLUIDICS: Fluidic control elements have height functions . . . PF, ED 2, p. 140

RELAY CIRCUITS: An SCR and a UJT control relay on-time . . . IFD, ED 5, p. 90

STATE VARIABLES: Put state variables to work . . . ART, ED 12, p. 64

THERMISTORS: Combine a couple of thermistors . . . ART, ED 3, p. 88

VIBRATORS: Vibrator elapsed time fixed automatically . . . NASA, ED 2, p. 122

Avionics

ALTIMETERS: FAA asks for bids for altitude device . . NEWS, ED 2, p. 22

ANTICOLLISION SYSTEMS: Anticollision tests set . . . NEWS, ED 1, p. 22

C-5A: C-5A being groomed for first flight in June . . . NEWS, ED 6, p. 22

DC-10: Enter the DC-10; Exit the BAC-111? . . . NEWS, ED 5, p. 22

F-111: F-111 cut makes waves . . . NEWS, ED 3, p. 22

LANDING AIDS: Low-cost landing aid slated for small airports . . . NEWS, ED 11, p. 33

NAVIGATION: Shed light: to hunt and kill in real time . . NEWS, ED 2, p. 25

RELIABILITY: Electronics failures blamed for air losses . . . NEWS, ED 13, p. 21

SATELLITES: Satellites may end aviation radio blackout . . . SR, ED 2, p. 58

SONIC BOOM: Corona discharge may quiet sonic booms . . . NEWS, ED 3, p. 22

SST: Automatic checkout for flaw-free flying . . . SR, ED 2, p. 55

Avionics in the SST era . . . SR, ED 2, p. 49

Boeing's SST design goes back to the board . . . NEWS, ED 6, p. 21

Inertial navigation to keep jets on course . . . SR, ED 2, p. 51

TELEMETRY: Aircraft may monitor missiles . . . NEWS, ED 5, p. 22

X-15: Budget cuts overtake hypersonic aircraft . . NEWS, ED 2, p. 21

Departments Key

ART	Technical Article
DDEC	Design Decision
EDIT	Editorial
ENG DATA	Engineering Data
IFD	Idea for Design
M&C	Management and Careers
NASA	NASA Tech Brief
PF	Product Feature
SR	Special Report

Circuit Theory and Analysis

AMPLIFIER COMPENSATION: Integrate a shunt-compensated stage . . . ART, ED 5, p. 66

AMPLIFIERS, OPERATIONAL: Op amps act as universal gain elements . . . ART, ED 2, p. 78

AMPLIFIERS, SWITCHED RF: Boost class-D rf amplifier efficiency . . . ART, ED 1, p. 96

ANTENNAS: Design and analyze antenna systems . NASA, ED 10, p. 114

AUDIO AMPLIFIERS: Extend audio-amplifier performance . . . ART, ED 6, p. 182

AVALANCHE TRANSISTORS: Avalanche transistors give fast pulses . . . ART, ED 6, p. 202

BIAS CIRCUITS: Don't guess at bias circuit design . . . ART, ED 10, p. 80

CABLES: Don't lose pulses in long cables . . . ART, ED 7, p. 90

ECAP: Simulate transfer functions with ECAP . . . ART, ED 7, p. 72

ESTIMATION: Try estimating to check out circuit designs . ART, ED 4, p. 60

FILTERS: Fewer filter sections and better specs . . . ART, ED 4, p. 84

"FLOATING" NETWORKS: Groundless circuits make sense . . . ART, ED 4, p. 92

FREQUENCY DISCRIMINATION: Digital approach improves frequency discrimination . . . NASA, ED 5, p. 88

FREQUENCY SYNTHESIZERS: Digital methods synthesize frequency . . . ART, ED 11, p. 78

IEEE PAPERS: Digital filtering and LSI: A repeat performance . . . SR, ED 6, p. U87

The pickings are lean for circuit designers . . . SR, ED 6, p. U80

IMPEDANCE: Draw your network's impedance . . . ART, ED 1, p. 102

INPUT IMPEDANCE: Get near-infinite impedance . . . ART, ED 6, p. 192

INTEGRATION: Self-starting procedure simplifies integration . . . NASA, ED 2, p. 124

LOGIC DESIGN: Follow a logical sequence . . . ART, ED 6, p. 174

LSI: Design flip-flops from LSI cells . . . ART ED 12, p. 82

NETWORK TECHNIQUES: Insert two-port networks with ease . . . ART, ED 13, p. 94

PROPAGATION: Find free-space attenuation at a glance . . . ENG DATA, ED 7, p. 94

QUARTIC EQUATIONS: Solve quartic equations quickly . ART, ED 5, p. 72

SCHMITT TRIGGERS: Tailor your Schmitt trigger circuit . . . ART, ED 11, p. 84

SOFTWARE: Computer program designed for sampled-data analysis . . . NASA, ED 2, p. 126

SYNCHRONIZATION: It's how you seek sync that counts . . . DDEC, ED 12, p. 91

WORST-CASE ANALYSIS: Computers ease worst-case analysis . . . ART ED 2, p. 90

Circuits

AMPLIFIERS: FET amplifier for μA inputs . . . NASA, ED 13, p. 108

Improve feedback amplifier stability . . . ART, ED 13, p. 82

Transistor serves as a dc coupler, simplifies amplifier design . . . IFD, ED 6, p. 220

AMPLIFIERS, AUDIO: Build a practical audio amplifier . . . ART, ED 7, p. 82

AMPLIFIERS, DC: Differential dc operational amplifier settles in 1 μs to

January-July 1968

ELECTRONIC DESIGN
semiannual index of articles

The articles in the various sections of this index are grouped under key words that indicate their general topics. An article is listed more than one time if it has to do with more than one general topic.

Automatic Controls and Servos

COMPUTERS, CONTROL: Honeywell announces 32-bit control computer . . . NEWS, ED 8, p. 22

FLUIDICS: Fluidic control elements have height functions . . . PF, ED 2, p. 140

RELAY CIRCUITS: An SCR and a UJT control relay on-time . . . IFD, ED 5, p. 90

STATE VARIABLES: Put state variables to work . . . ART, ED 12, p. 64

THERMISTORS: Combine a couple of thermistors . . . ART, ED 3, p. 88

VIBRATORS: Vibrator elapsed time fixed automatically . . . NASA, ED 2, p. 122

Avionics

ALTIMETERS: FAA asks for bids for altitude device . . NEWS, ED 2, p. 22

ANTICOLLISION SYSTEMS: Anticollision tests set . . . NEWS, ED 1, p. 22

C-5A: C-5A being groomed for first flight in June . . . NEWS, ED 6, p. 22

DC-10: Enter the DC-10; Exit the BAC-111? . . . NEWS, ED 5, p. 22

F-111: F-111 cut makes waves . . . NEWS, ED 3, p. 22

LANDING AIDS: Low-cost landing aid slated for small airports . . . NEWS, ED 11, p. 33

NAVIGATION: Shed light: to hunt and kill in real time . . NEWS, ED 2, p. 25

RELIABILITY: Electronics failures blamed for air losses . . . NEWS, ED 13, p. 21

SATELLITES: Satellites may end aviation radio blackout . . . SR, ED 2, p. 58

SONIC BOOM: Corona discharge may quiet sonic booms . . . NEWS, ED 3, p. 22

SST: Automatic checkout for flaw-free flying . . . SR, ED 2, p. 55

Avionics in the SST era . . . SR, ED 2, p. 49

Boeing's SST design goes back to the board . . . NEWS, ED 6, p. 21

Inertial navigation to keep jets on course . . . SR, ED 2, p. 51

TELEMETRY: Aircraft may monitor missiles . . . NEWS, ED 5, p. 22

X-15: Budget cuts overtake hypersonic aircraft . . NEWS, ED 2, p. 21

Departments Key

ART	Technical Article
DDEC	Design Decision
EDIT	Editorial
ENG DATA	Engineering Data
IFD	Idea for Design
M&C	Management and Careers
NASA	NASA Tech Brief
PF	Product Feature
SR	Special Report

Circuit Theory and Analysis

AMPLIFIER COMPENSATION: Integrate a shunt-compensated stage . . . ART, ED 5, p. 66

AMPLIFIERS, OPERATIONAL: Op amps act as universal gain elements . . . ART, ED 2, p. 78

AMPLIFIERS, SWITCHED RF: Boost class-D rf amplifier efficiency . . . ART, ED 1, p. 96

ANTENNAS: Design and analyze antenna systems . NASA, ED 10, p. 114

AUDIO AMPLIFIERS: Extend audio-amplifier performance . . . ART, ED 6, p. 182

AVALANCHE TRANSISTORS: Avalanche transistors give fast pulses . . . ART, ED 6, p. 202

BIAS CIRCUITS: Don't guess at bias circuit design . . . ART, ED 10, p. 80

CABLES: Don't lose pulses in long cables . . . ART, ED 7, p. 90

ECAP: Simulate transfer functions with ECAP . . . ART, ED 7, p. 72

ESTIMATION: Try estimating to check out circuit designs . ART, ED 4, p. 60

FILTERS: Fewer filter sections and better specs . . . ART, ED 4, p. 84

"FLOATING" NETWORKS: Groundless circuits make sense . . . ART, ED 4, p. 92

FREQUENCY DISCRIMINATION: Digital approach improves frequency discrimination . . . NASA, ED 5, p. 88

FREQUENCY SYNTHESIZERS: Digital methods synthesize frequency . . . ART, ED 11, p. 78

IEEE PAPERS: Digital filtering and LSI: A repeat performance . . . SR, ED 6, p. U87

The pickings are lean for circuit designers . . . SR, ED 6, p. U80

IMPEDANCE: Draw your network's impedance . . . ART, ED 1, p. 102

INPUT IMPEDANCE: Get near-infinite impedance . . . ART, ED 6, p. 192

INTEGRATION: Self-starting procedure simplifies integration . . . NASA, ED 2, p. 124

LOGIC DESIGN: Follow a logical sequence . . . ART, ED 6, p. 174

LSI: Design flip-flops from LSI cells . . . ART ED 12, p. 82

NETWORK TECHNIQUES: Insert two-port networks with ease . . . ART, ED 13, p. 94

PROPAGATION: Find free-space attenuation at a glance . . . ENG DATA, ED 7, p. 94

QUARTIC EQUATIONS: Solve quartic equations quickly . ART, ED 5, p. 72

SCHMITT TRIGGERS: Tailor your Schmitt trigger circuit . . . ART, ED 11, p. 84

SOFTWARE: Computer program designed for sampled-data analysis . . . NASA, ED 2, p. 126

SYNCHRONIZATION: It's how you seek sync that counts . . . DDEC, ED 12, p. 91

WORST-CASE ANALYSIS: Computers ease worst-case analysis . . . ART ED 2, p. 90

Circuits

AMPLIFIERS: FET amplifier for μA inputs . . . NASA, ED 13, p. 108

Improve feedback amplifier stability . . . ART, ED 13, p. 82

Transistor serves as a dc coupler, simplifies amplifier design . . . IFD, ED 6, p. 220

AMPLIFIERS, AUDIO: Build a practical audio amplifier . . . ART, ED 7, p. 82

AMPLIFIERS, DC: Differential dc operational amplifier settles in 1 μs to

0.01% of final value . . . . . PF, ED 5, p. 100
AMPLIFIERS, DIFFERENTIAL: IC and six resistors comprise a differential amplifier . . . . . IFD, ED 9, p. 90
AMPLIFIERS, GATED: Gated amplifier uses FET in feedback loop . . . . . IFD, ED 1, p. 140
AMPLIFIERS, HIGH-FREQUENCY: Gated 5-MHz amplifier has high gain . . . . . IFD, ED 7, p. 108
AMPLIFIERS: OPERATIONAL: Build an operational amplifier from a dual NAND-NOR gate . IFD, ED 11, p. 102
Op amps act as universal gain elements . . . . . ART, ED 2, p. 78
Operational amplifier eliminates dc offset from 1/20-Hz signal . . . . . IFD, ED 2, p. 134
AMPLIFIERS, UHF: Single transistor gives uhf watts . . . ART, ED 8, p. 57
AUTOCORRELATORS: Pulse autocorrelator improves laser measurement accuracy . . . . . NASA, ED 6, p. 232
BUZZER CIRCUIT: A single SCR controls battery-operated buzzer . . . . . IFD, ED 12, p. 114
COMPARATORS: Logic control measurements . . . . . NASA, ED 1, p. 136
COMPARATORS, DIFFERENTIAL: Simple hookup eliminates problems in using μ710 . . . . . IFD, ED 1, p. 146
CONTROL SYSTEMS: Vibrator elapsed time fixed automatically . . . . . NASA, ED 2, p. 122
CONVERTERS: IC makes a Schmitt trigger and a single-shot circuit . . . . . IFD, ED 1, p. 144
CONVERTERS, D/A: Digital-to-analog converter is fast and simple . . . . . IFD, ED 12, p. 118
Resistor-diode D/A converter uses one operational amplifier . . . . . IFD, ED 3, p. 128
CRT DEFLECTION: Try electromagnetic deflection systems . . . . . ART, ED 4, p. 66
CURRENT LIMITERS: Fail-safe current limiter is simple and efficient . . . . . IFD, ED 10, p. 124
CURRENT SINKS: Zero impedance current sink uses only two transistors . . . . . IFD, ED 7, p. 106
DELAYS: Get long digital delays with a simple circuit . . IFD, ED 7, p. 110
DETECTORS, OPTICAL: Noise-immune optical detector uses one IC and a transistor . . . . . IFD, ED 9, p. 86
DETECTORS, SQUARE-LAW: A square-law detector uses a single FET . . . . . IFD, ED 9, p. 84
DIFFERENTIAL OP-AMP: Differential op-amp tracks at 25 μV/°C . . . . . PF, ED 10, p. 142
DIGITAL CONTROLLERS: ICs help digital controller get to the point in 8 μs . . . . . PF, ED 9, p. 94
DIGITAL FUNCTIONS: Many digital functions can be generated . . . . . ART, ED 3, p. 82
DISCRIMINATORS: IC window discriminator has predetermined hysteresis . . . . . IFD, ED 10, p. 120
Window discriminator is built with μA709 . . . . . IFD, ED 4, p. 124
DISCRIMINATORS, LF: Low-frequency discriminator features high sensitivity . . . . . IFD, ED 10, p. 122
EQUALIZERS: Phase-amplitude equalizer will work up to 2.0 MHz . . . . . IFD, ED 13, p. 110
FET MATCHING: Simple test circuit matches FETs quickly . . . . . IFD, ED 8, p. 104
FILTERS: Comb-line band-pass filter eliminates capacitive loading . . . . . IFD, ED 3, p. 130
Narrow-band high-Q filter uses passive twin-T . . . . IFD, ED 13, p. 110
FREQUENCY DIVIDERS: Frequency divider built with a novel technique . . . . . IFD, ED 6, p. 224
FREQUENCY SYNTHESIZERS: Frequency synthesizer is a digitally controlled oscillator . . . . . NASA, ED 6, p. 234
GENERATORS, ABSOLUTE VALUE: Simple circuit puts out input's absolute value . . . . . IFD, ED 3, p. 134
GENERATORS, CURRENT: Current generator made with four parts . . . . . IFD, ED 3, p. 134
GENERATORS, RAMP: Triac, UJT and FET give linear ramps . . . . . IFD, ED 6, p. 230
GENERATORS, SQUARE WAVE: Low-cost components form a square-wave generator . . IFD, ED 4, p. 120
Square-wave generator is stable and simple . . . . . IFD, ED 8, p. 100
INDICATOR CIRCUITS: Fast indicator circuit is simple and versatile . . . . . IFD, ED 10, p. 126
LIMIT CIRCUITS: Limit circuit prevents op-amp overdriving . . . . . NASA, ED 6, p. 240B
LOGIC CIRCUITS: One logic circuit for all your needs . . . . . NEWS, ED 11, p. 32
MATCHED PAIRS: Matched transistor pair gives several circuits . . . . . IFD, ED 7, p. 106
MIXERS: Mix various signals by a simple method . . . . IFD, ED 5, p. 90
MONITORING: Monitor dc levels with a simple circuit . . . . . IFD, ED 12, p. 110
MULTIPLEXER: Multiplexer samples with 0.2% accuracy . . . . . NASA, ED 6, p. 240
MULTIVIBRATORS: A multivibrator converts temperature to frequency . . . . . IFD, ED 13, p. 114
Dual flip-flop ICs halve ripple time . . . . . IFD, ED 9, p. 88
Generate alternating pulses 180° out of phase . . . . IFD, ED 13, p. 112
IC makes a Schmitt trigger and a single-shot circuit . . . . . IFD, ED 1, p. 144
IC multivibrator starts reliably and is temperature-stablized . . . . . NASA, ED 12, p. 106
Long-pulse-width multi has short recovery time . . . . . IFD, ED 8, p. 102
ONE-SHOTS: Buffer element used for long-duty cycle one-shot . . . . . IFD, ED 4, p. 124
Inexpensive one-shot built with DTL inverters . . . . . IFD, ED 13, p. 118

Subject Listing

Automatic Controls and Servos
Avionics
Circuits
Circuit Theory and Analysis
Communications
Components
Computer-Aided Design
Computers and Data Processing
Consumer Electronics
Displays
Editorials
General Industry
Human Factors
Industrial Electronics
Infrared
International Electronics
Lasers
Management and Careers
Materials
Medical Electronics
Microelectronics
Microwaves
Military Electronics
Missiles
Navigation and Guidance
Oceanology
Packaging and Cooling
Physics
Power Sources
Production Processes
Radio Frequency Interference
Reliability
Research and Development
Semiconductors
Sonar and Ultrasonics
Space
System Design
Telemetering
Test Equipment and Measuring
Tubes

Long-period one-shot uses one UJT and two SCRS . . . . IFD, ED 9, p. 88

Ultra-high-speed monostable has short rise and fall times . . . . . IFD, ED 10, p. 118

OSCILLATORS: Oscillators use diodes to generate at 10.525 GHz . . . . . PF, ED 5, p. 114

Wide-band oscillator uses a quartz crystal . . . . . IFD, ED 3, p. 128

OSCILLATORS, BLOCKING: Blocking oscillator gives high-speed linear ramp . . . . . IFD, ED 4, p. 122

OSCILLATORS, HF: High-frequency oscillator uses single μA703 and an LC tank circuit . . . IFD, ED 8, p. 100

PASSIVE NETWORKS: How to synthesize passive networks . . . . . NASA, ED 7, p. 116

PHASE CONVERTERS: Three-phase output from single-phase line . . . . . IFD, ED 4, p. 116

PHASE-LOCKED LOOPS: Build a linear-IC phase-locked loop . . . . . ART, ED 10, p. 90

Use ICs in your phase-locked loop . . . . . ART, ED 8, p. 76

PHASE SHIFTERS: 360° variable phase shift is obtained simply . . . . . IFD, ED 11, p. 98

POWER STRETCHERS: Zener diode power-stretcher uses low-power devices . . . . . IFD, ED 12, p. 112

PROTECTION CIRCUITS: Limit short-circuit amplifier current . . . . . NASA, ED 2, p. 120

The Fuse Caper . . . . . IFD, ED 12, p. 116

PULSE DEGAUSSERS: High-power pulse degausser stabilizes permanent magnet . . . . . PF, ED 9, p. 108

PULSE DELAYS: UJT and transistor make a linear pulse delay circuit . . . . . IFD, ED 10, p. 124

PULSE GENERATORS: Alternating pulse generator uses two UJTs . . . . . IFD, ED 10, p. 120

Build tunnel-diode pulse generators . . . . . ART, ED 13, p. 74

Get high-voltage pulses from a low-voltage dc source . . . . . IFD, ED 11, p. 100

Reset pulse generator uses two transistors . . . . . IFD, ED 9, p. 86

Unijunction and flip-flop improve pulse generator . . . . . IFD, ED 1, p. 144B

PULSE MODULATORS: Laboratory pulse modulator uses minority carrier storage diodes . . . . . NASA, ED 8, p. 96

PULSE SHAPERS: Nanosecond pulse shaper uses five components . . . . . IFD, ED 6, p. 222

PULSE-WIDTH DISCRIMINATORS: Pulse width discriminator uses unijunction transistor . . . . . IFD, ED 5, p. 96

RECTIFYING CIRCUITS: Extra transformer windings increase rectifying efficiency . . . . . IFD, ED 8, p. 108

REGULATORS: Field-effect diode simplifies regulator . . IFD, ED 6, p. 222

REGULATORS, SHUNT: Shunt regulator is stable with temperature and line changes . . . . . IFD, ED 10, p. 118

REGULATORS, ZENER: Build a 1-V regulated supply with only two zener diodes . . . . . IFD, ED 9, p. 84

Simple bridge circuit improves zener regulation . . . . . IFD, ED 11, p. 94

RELAY CIRCUITS: An SCR and a UJT control relay on-time . . . . . IFD, ED 5, p. 90

REFERENCES: A stable voltage reference uses only six components . . . . . IFD, ED 2, p. 128

RESISTANCE MEASUREMENT: Single SCR can detect 0.1-Ω resistance change . . . . . IFD, ED 7, p. 110

SEPARATORS: Low-current SCR separates digital data from carrier . . . . . IFD, ED 1, p. 138

SOLAR CELLS: Get the most from solar cells . . . . NASA, ED 4, p. 112

STEPPING CHAINS: Stepper uses thyristors as switching elements . . . . . IFD, ED 1, p. 140

SUPERREGENERATOR: Diode improves performance in superregenerative circuit . . . . . IFD, ED 6, p. 230

SWEEP CIRCUITS: Complementary sweep circuit improves linearity and flyback . . . . . IFD, ED 5, p. 92

SWITCHES: Complementary circuit switches high voltage . . . . . IFD, ED 5, p. 97

SWITCHING CIRCUITS: Transistor switch provides low output impedance . . . . . IFD, ED 6, p. 226

SYNCHRONIZATION: Single-pulse synthesizer uses single flip-flop . . . . . IFD, ED 1, p. 144B

Zero-crossing detector needs no supply voltage . . . IFD, ED 1, p. 144

TELEVISION: Electronic shutter gates orthicon . . . . . NASA, ED 2, p. 120

TEMPERATURE TELEMETERS: Telemeter temperature with a simple circuit . . . . . IFD, ED 11, p. 96

THERMISTORS: Combine a couple of thermistors . . . . . ART, ED 3, p. 88

THERMOMETERS: An elecronic thermometer uses an IC as a sensor . . . . . IFD, ED 11, p. 102

TIMERS: SCR-based timers recover in no time . . . . . NASA, ED 10, p. 112

TORQUE SENSORS: Torque sensor uses simple strain gauges . . . . . IFD, ED 4, p. 118

TRIGGER CIRCUITS: Sensitive trigger circuit controls power SCR . . . . . IFD, ED 4, p. 116

UNIVIBRATORS: Modifier univibrator averts timing errors . . . . . NASA, ED 4, p. 110

VIDEO: Video inhibit switch uses two transistors . . . . . IFD, ED 3, p. 126

VOLTAGE MULTIPLIER: Voltage multiplier for millivolt inputs . . . . . NASA, ED 12, p. 108

VOLTAGE REGULATORS: Half-amp voltage regulator fits on a chip . . . . . NEWS, ED 5, p. 28

V-TO-F: Voltage-to-frequency converter is also a charge digitizer . . . . . IFD, ED 11, p. 94

ZENER CIRCUITS: Three low-cost transistors give temperature-stable zener . . . . . IFD, ED 3, p. 126

Communications

CABLES: Communications studied . . . . . NEWS, ED 1, p. 22

Communications users may use own equipment . . NEWS, ED 2, p. 22

New ways to ease U.S. communications . . . . . NEWS, ED 2, p. 21

COMPUTERS: Communications' future linked to computer . . . . . NEWS, ED 13, p. 22

COMPUTER TEACHING: Computer-TV-phone link teaches teachers . . . . . NEWS, ED 5, p. 40

COMSAT: Comsat is soliciting bids for 2 advanced Intelsats . . . . . NEWS, ED 5, p. 22

DATA COMPRESSION: The future of data compression expands . . . . . NEWS, ED 11, p. 25

DETECTORS: Continuous-wave detector to 5000 MHz . . . NASA, ED 6, p. 239

DETECTORS, SQUARE-LAW: A square-law detector uses a single FET . . . . . IFD, ED 9, p. 84

FREQUENCY DISCRIMINATION: Digital approach improves frequency discrimination . . . . . NASA, ED 5, p. 88

IMPEDANCE: Match antenna impedance with series Q-sections . . . . . IFD, ED 1, p. 138

JUNGLE RFI: Jungle foliage RFI tested by NBS . . . . . NEWS, ED 8, p. 22

MIXERS: Double-balanced mixer covers 0.2 to 400 MHz . . . . . PF, ED 11, p. 124

Mix various signals by a simple method . . . . . IFD, ED 5, p. 90

POLICE GEAR: FCC cautions makers of new police equipment . . . . . NEWS, ED 10, p. 22

Wanted: Faster police communications . . . . . NEWS, ED 13, p. 25

PORTABLE WAR NETWORK: Air Force getting war network that can travel . . . . . NEWS, ED 6, p. 25

PROPAGATION: Find free-space attenuation at a glance . . . . . ENG DATA, ED 7, p. 94

PUBLIC SAFETY: New channels allocated for public safety use . . . . . NEWS, ED 7, p. 22

RFI: Bill would let FCC control RFI at source . . . . . NEWS, ED 7, p. 21

RF crowding in space reported nearing crisis . . . . . NEWS, ED 7, p. 21

SATELLITES: Communications studied . . . . . NEWS, ED 1, p. 22

Communications users may use own equipment . . . . . NEWS, ED 2, p. 22

New ways to ease U.S. communications . . . . . NEWS, ED 2, p. 21

SPECTRUM CROWDING: Ways explored to utilize the cluttered spectrum . . . . . SR, ED 6, p. U80

SUBMARINE ELECTRONICS: Loss of Scorpion poses questions on signaling . . . . . NEWS, ED 13, p. 21

Components

ALUMINA PARTS: Preglassed alumina parts hermetically seal easily . . . . . PF, ED 10, p. 178

BLOWERS: Multi-stage blower has fan-stage flexibility . . PF, ED 6, p. U116

COILS: Calculate distributed capacitance of coils . . . . . ENG DATA, ED 8, p. 82

DISCONNECTS: High-voltage quick-disconnect can be made for about 25 cents . . . . . IFD, ED 1, p. 142

IMAGING TUBES: Army unveils GI scope that turns night into day . . . . . NEWS, ED 12, p. 21

LIFTERS: Hot-blade cutting tool removes potted components . . . . . IFD, ED 13, p. 118

Simple tool removes plug-in modules . . . . . IFD, ED 2, p. 136

MODULAR AMPLIFIERS: Building-block amplifiers afford system felxibility . . . PF, ED 13, p. 140
P-I-N DIODES: Stripline module houses p-i-n diode . . . PF, ED 12, p. 124
RESISTORS: Hermetically sealed resistors are usable above 100 MHz . . . PF, ED 9, p. 100
RESOLVERS: Resolver/synchro converter tracks input data to 2000°/s . . . PF, ED 6, p. U134
SPEAKERS: Ultra-thin wafer speakers cover a 40-Hz-to-20-kHz frequency range . . . PF, ED 7, p. 120
SWITCHES: Multiple-action switches are pushbutton controlled . . . PF, ED 6, U114
TEST RECORDERS: Printing digitizer records 100 tests . PF, ED 13, p. 152
TRANSFORMERS: Extra transformer windings increase rectifying efficiency . . . IFD, ED 8, p. 108
TRANSFORMERS, PULSE: Optimize pulse transformer designs . . . ART, ED 13, p. 86
TV TUBES: Sony's one-gun TV heads for U.S. market . NEWS, ED 12, p. 22

Computer-Aided Design

ECAP: Simulate transfer functions with ECAP . . . ART, ED 7, p. 72
GRAPHIC DISPLAY: Graphic display unit mates with Sigma 5 or 7 . . . PF, ED 9, p. C50
LOGIC DESIGN: Cut logic design drudgery: let the computer do it . . . PF, ED 9, p. 95
NONLINEAR SYSTEMS: Analyze nonlinear systems with ECAP . . . ART, ED 8, p. 70
SOFTWARE: Computer program designed for sampled-data analysis . . . NASA, ED 2, p. 126
TIME-SHARING: BASIC time-sharing system computes for 16 users simultaneously . . . PF, ED 9, p. C46
Designs for the computer utility of tomorrow . . . SR, ED 9, p. C13
The first time-sharing generation is here . . . SR, ED 9, p. C5
Time-sharing users need one computer utility . . . EDIT, ED 9, p. 55
You too can use a time-sharing system . . . SR, ED 9, p. C19
WORST-CASE ANALYSIS: Computers ease worst-case analysis . . . ART. ED 2, p. 90

Computers and Data Processing

CALCULATORS: Calculator-computer handles 640 steps . . . PF, ED 12, p. 156
COMMUNICATIONS: Communications' future linked to computer . . . NEWS, ED 13, p. 22
COMPUTER TEACHING: Computer-TV-phone link teaches teachers . . . NEWS, ED 5, p. 40
COMPUTERS: Computers of the '70s given a sneak preview . . . NEWS, ED 3, p. 21
Desk-top computer uses a 16-bit word length . . . PF, ED 11, p. 108
Expandable 32-bit computer fully cycles in 850 ns . . PF, ED 9, p. C54
COMPUTERS, CONTROL: Honeywell announces 32-bit control computer . . . NEWS, ED 8, p. 25
COMPUTERS, OPTICAL: Optical computers poised for systems role . . . NEWS, E D8, p. 25
CONFERENCES: Boys upstage the pros at computer conference . . . NEWS, ED 12, p. 30
DESK CALCULATORS: Desk-top electronic calculator speeds problem-solving . . . PF, ED 7, p. 130
DISPLAYS: A computer and a 3-D plotter give visually displayed data . . . PF, ED 10, p. 130
Graphic display unit mates with Sigma 5 or 7 . . . PF, ED 9, p. C50
DUAL PROCESSORS: Dual processor computer swings 500,000 operation/s . . . PF, ED 4, p. 163
FOURTH GENERATION: Computer designers look to 4th generation . . . SR, ED 6, p. U82
HONEYWELL: Honeywell expanding in 2 computer markets . . . NEWS, ED 4, p. 22
INFORMATION RETRIEVAL: Computer equipment speeds information retrieval . . . PF, ED 11, p. 116
LARGE-SCALE INTEGRATION: Computer makers may delay LSI usage . . . NEWS, ED 13, p. 54
Fourth generation computers will use LSI . . . NEWS, ED 9, p. C32
LSI improves computer memory bit by bit . . . NEWS, ED 7, p. 25
LSI will demand new computer architecture . . . NEWS, ED 1, p. 31
The LSI computers in your future . . . NEWS, ED 5, p. 26
MAGNETIC CARDS: Magnetic records vie with punch cards . . . NEWS, ED 7, p. 22
MAGNETIC TAPES: Magnetic tape withstands extremes of temperature . . . PF, ED 2, p. 160
MEMORIES: Autonetics to enter the memory market . . . NEWS, ED 11, p. 21
MEMORIES, MOS: Drive MOS storage arrays fast . . . ART, ED 9, p. 68
MEMORIES, QUARTZ: 100-MHz bit rates revive old memories . . . NEWS, ED 10, p. 30
MEMORIES, ROD: Business computer built with a 'rod' memory . . . NEWS, ED 6, p. 22
PLOTTERS: Subroutines simplify plotter operation . . NASA, ED 1, p. 136
TIME SHARING: BASIC time-sharing system computes for 16 users simultaneously . . . PF, ED 9, p. C46
Designs for the computer utility of tomorrow . . . SR, ED 9, p. C13
The first time-sharing generation is here . . . SR, ED 9, p. C5
Time-sharing users need one computer utility . . . EDIT, ED 9, p. 55
You too can use a time-sharing system . . . SR, ED 9, p. C19
WEATHER DATA: Weather data on the economy plan . . . NEWS, ED 7, p. 21

Consumer Electronics

COLOR TV TUBES: Brighter TV color tubes introduced by Sylvania . . . NEWS, ED 6, p. 22
COMPUTER TEACHING: Computer-TV-phone link teaches teachers . . . NEWS, ED 5, p. 40
EDUCATIONAL ELECTRONICS: Electronics brings some life into physics teaching . . . NEWS, ED 6, p. 44
ELECTRIC CARS: 50 mi/h electric car due with 150-mile range . . . NEWS, ED 1, p. 21
ICs IN TV: IC use in radio-TV market hinges on cost . . . NEWS, ED 5, p. 32
LASER TV: Laser color TV: Search for a breakthrough . . . NEWS, ED 12, p. 25
MICROWAVE OVENS: Chef RCA turns out microwave power triode . . . NEWS, ED 6, p. 21
PUBLIC SAFETY: Anti-sniper radar tracks speeding bullets . . . NEWS, ED 11, p. 36
FCC cautions makers of new police equipment . . . NEWS, ED 10, p. 22
New channels allocated for public safety use . . . NEWS, ED 7, p. 22
Wanted: Faster police communications . . . NEWS, ED 13, p. 25
RADIATION STUDIES: Federal standards due for radiation hazards . . . NEWS, ED 3, p. 22
Senate is considering revised radiation bill . . . NEWS, ED 13, p. 22
TELEVISION:Sony's one-gun TV heads for U.S. market . . . NEWS, ED 12, p. 22
TV MARKETS: Japanese TVs on rise . . . NEWS, ED 1, p. 22
TV X-RAYS: TV X-ray detector designed . . . NEWS, ED 10, p. 40
VIDEO TAPE RECORDERS: Color video recorder uses tape cartridge . . . NEWS, ED 5, p. 22
Video tape recorders stymied by cost . . . NEWS, ED 9, p. 36

Displays

APOLLO: TV cameras reinstated in Apollo spacecraft . . . NEWS, ED 11, p. 22
CRTs: CRT display system shows 144 characters . . . PF, ED 3, p. 150
New character generator improves graphic display . . . NEWS, ED 13, p. 33
DISPLAYS, DATA: A computer and a 3-D plotter give visually displayed data . . . PF, ED 10, p. 130
DISPLAYS, GRAPHIC: Graphic display unit mates with Sigma 5 or 7 . . . PF, ED 9, p. C50
PLOTTERS: Subroutines simplify plotter operation . . . NASA, ED 1, p. 136
Oscilloscope can be used as two-dimensional analyzer . . . NASA, ED 2, p. 125

Editorials

As the pot shrinks, the snow flies . . . EDIT, ED 8, p. 53
Can advanced technology be applied to urban needs? . . . EDIT, ED 1, p. 61
Come out of the clouds, get down to brass tacks . . . EDIT, ED 2, p. 75
Congress has so far found only the top of the iceberg . . . EDIT, ED 3, p. 45
The machines will see that secrets stay secret . . . EDIT, ED 11, p. 61
Is there a job for you in the post-Vietnam era? . . . EDIT, ED 10, p. 69
Let's halt the brain-drain on the engineering job . . . EDIT, ED 6, p. 171
Needed: A full review of our defense policies . . . EDIT, ED 13, p. 71

SEMIANNUAL INDEX

Question for the day: Who do you think you are? . . . EDIT, ED 7, p. 69
Red tape and pot shots won't reshape procurement . . . EDIT, ED 12, p. 61
Time-sharing users need one computer ability . . . . EDIT, ED 9, p. 55
We need innovators, not stubborn 'changers' . . . . . EDIT, ED 5, p. 49
Who knows how important the electronics engineer is? . . . EDIT, ED 4, p. 57

General Industry

ALTIMETERS: FAA asks for bids for altitude device . . NEWS, ED 2, p. 22
BRAIN DRAIN: The brain drain shifts from West to East . . . NEWS, ED 10, p. 22
Let's halt the brain-drain on the engineering job . . EDIT, ED 6, p. 171
BUGGING: Supreme Court rules some bugs are okay . . NEWS, ED 1, p. 22
CONFERENCES: The engineer looks at technology . . . . . SR, ED 6, p. U78
Urban engineer in focus . . . NEWS, ED 1, p. 22
CONTRACTS: U.S. moving gingerly in auditing catalog items . . . NEWS, ED 9, p. 21
DEFENSE CONTRACTS: Contractors and Government clash over rules . . . SR, ED 12, p. 36
DEFENSE WORK: Needed: A full review of our defense policies . . . EDIT, ED 13, p. 71
EIA HEAD: Texas Instruments chief named to head the EIA . . . NEWS, ED 13, p. 22
ELECTRONICS MARKET: Industry forecast for 1968: Electronic sales still rise, but at slower rate . . . NEWS, ED 1, p. 25
Japanese TVs on rise . . . NEWS, ED 1, p. 22
R&D spending to rise while growth rate sags . . . . . NEWS, ED 1, p. 22
Proxmire investigation may bring new controls . . . NEWS, ED 2, p. 21
ENGINEERS' WEEK: National Engineers' week . . . . . NEWS, ED 4, p. 22
FAA: Airlines score FAA air control electronics . . . . NEWS, ED 8, p. 21
FAA asks for bids for altitude device . . . . . NEWS, ED 2, p. 22
HONEYWELL: Honeywell on the move: 2 divisions are shifted . . . NEWS, ED 12, p. 22
IEEE: Is the IEEE helping you? . . . SR, ED 6, p. U68
When, Where and What's New at the IEEE Show . . . NEWS, ED 6, p. U94
LAW SUITS: 2 hearing-aid inventors sue to control company . . . NEWS, ED 4, p. 22
MERGERS: Solitron's plans fuzzy after Amphenol bid fails . . . NEWS, ED 7, p. 22
Who has the urge to merge with ABC? . . . . . NEWS, ED 2, p. 22
NATIONAL BUDGET: It's 'give and take' in new U.S. budget . . . NEWS, ED 4, p. 21
POLICE GEAR: FCC cautions makers of new police equipment . . . NEWS, ED 10, p. 22
PROCUREMENT: Can you justify the expense of new company equipment that you want? . . . M&C, ED 13, p. 102
GAO seeking to clarify requests for proposals . . . . . NEWS, ED 10, p. 22
Manufacturers assail procurement red tape . . . . . NEWS, ED 4, p. 21
Red tape and pot shots won't reshape procurement . . . EDIT, ED 12, p. 61
R&D CUTBACKS: Wave of layoffs follows U.S. slashes in R&D . . . NEWS, ED 9, p. 21
RADIATION HAZARDS: Federal standards due for radiation hazards . . . NEWS, ED 3, p. 22
RELATIONS WITH THE GOVERNMENT: Government and the electronics industry: A changing partnership . . . Part I: What happens after the Vietnam War? . . . . . SR, ED 13, p. 37
SPACE BUDGET: 2 rocket leaders blast U.S. space budget cuts . . . NEWS, ED 4, p. 21
X-15: Budget cuts overtake hypersonic aircraft . . . NEWS, ED 2, p. 21

Industrial Electronics

BUGGING: Supreme Court rules some bugs are okay . . NEWS, ED 1, p. 22
BUSINESS COMPUTER: Business computer built with a 'rod' memory . . . NEWS, ED 6, p. 22
DISCONNECTS: High-voltage quick-disconnect can be made for about 25 cents . . . . . IFD, ED 1, p. 142
FAA-AIRLINES: Airlines score FAA air-control electronics . . . NEWS, ED 8, p. 21
FLUIDICS: Fluidic control elements have eight functions . . . PF, ED 2, p. 140
IEEE PAPERS: Industrial engineering shows steady gains . . . SR, ED 6, p. U84
LIGHT SENSORS: Light sensor memorizes direction of motion . . . IFD, ED 11, p. 100
NATIONAL BUDGET: 1969 U.S. budget: Further electronic growth . . . NEWS, ED 5, p. 34
PUBLIC SAFETY: Anti-sniper radar tracks speeding bullets . . . NEWS, ED 11, p. 36
IBM 'traffic cop' hired by New York . . . . . NEWS, ED 9, p. 21
New channels allocated for public-safety use . . . . . NEWS, ED 7, p. 22
Wanted: Faster police communications . . . . . NEWS, ED 13, p. 25
RAILROADS: Trackless trains at Houston airport . . . . NEWS, ED 2, p. 46
RFI: Bill would let FCC control RFI at source . . . . . NEWS, ED 7, p. 21
URBAN PROBLEMS: Electronics starts solving the problems of the cities . . . SR, ED 1, p. 65
WEATHER DATA: Weather data on the economy plan . . . NEWS, ED 7, p. 21

Infrared

DETECTORS: IR detector array contains many sensors . . . NEWS, ED 12, p. 31
Laser-scanned MOS detects infrared . . . . . NEWS, ED 3, p. 34

International Electronics

DEFENSE POLICIES: Needed: A full review of our defense policies . . . EDIT, ED 13, p. 71
JAPANESE ICs: Await Japan's IC push . . . . . NEWS, ED 10, p. 22
JUNGLE RFI: Jungle foliage RFI tested by NBS . . . . . NEWS, ED 8, p. 22
SOVIET: Pace of Soviet space activities quickens . . NEWS, ED 10, p. 21
TV TUBES: Sony's one-gun TV heads for U.S. market . NEWS, ED 12, p. 22

Lasers

AUTOCORRELATORS: Pulse autocorrelator improves laser measurement accuracy . . . . . NASA, ED 6, p. 232
EDUCATIONAL ELECTRONICS: Electronics brings some life into physics teaching . . . . . NEWS, ED 6, p. 44
HOLOGRAMS: Hologram self-portrait made in a hurry . . . NEWS, ED 8, p. 21
INFRARED DETECTORS: Laser-scanned MOS detects infrared . . . NEWS, ED 3, p. 34
MARKETING: Laser industry strives to shake its infant image . . . NEWS, ED 12, p. 21
MATERIALS: High efficiency with a 1.06-micron laser . . . NEWS, ED 13, p. 32
MODULATORS: Laser light modulators utilize new crystal material . . . PF, ED 6, p. 252
MOON PROJECT: Surveyor 7 photographs laser beams from earth . . . NEWS, ED 3, p. 22
OPTICAL COMPUTERS: Optical computers poised for systems role . . . NEWS, ED 8, p. 25
TELEVISION: Laser color TV: Search for a breakthrough . . . NEWS, ED 12, p. 25
TUNERS: Laser tuned by cooling optical crystal . . . . NEWS, ED 7, p. 33

Management and Careers

ADVANCEMENT: Advance by making your boss look good . . . M&C, ED 2, p. 112
COMMUNICATION: Are you an articulate engineer? . . . M&C, ED 12, p. 100
DECISION MAKING: Elude the traps to sound decisions . . . M&C, ED 5, p. 82
EFFICIENCY: Manage your time or it will boss you! . . M&C, ED 3, p. 102
IEEE: Is the IEEE helping you? . . . SR, ED 6, p. U68
JOB SATISFACTION: Do you like your job . . . . . M&C, ED 7, p. 96
MOTIVATION: Money is not the only motivator . . . . . M&C, ED 1, p. 126
PRESENTATIONS: Put some life into your technical talk . . . M&C, ED 8, p. 90
PROCUREMENT: Can you justify the expense of new company equipment that you want? . . . M&C, ED 13, p. 102
PROJECT MANAGEMENT: Primer for project management . . . SR, ED 11, p. 44

PROPOSALS: Defend your proposal effectively . . . M&C, ED 9, p. 76
SELL YOUR IDEAS: Put that new-product idea across by presenting it in a 'selling' way . . . M&C, ED 4, p. 102
SUMMER COURSES: Where can you study this summer? . . . M&C, ED 10, p. 100

Materials

ALUMINA PARTS: Preglassed alumina parts hermetically seal easily . . . PF, ED 10, p. 178
CRYSTALS: Colorful cholesterics finding bright future . . . NEWS, ED 10, p. 34
Liquid crystals stir application activity . . . NEWS, ED 6, p. 22
Lithium niobate crystals are free of striation . . . PF, ED 7, p. 134
FILLERS: Glass puts muscle into moldable nylon . . . PF, ED 1, p. 192
GOLD PLATE: Don't fool with gold-plate selection . . ART, ED 1, p. 114
IEEE PAPERS: The practical lowdown on materials offered . . . SR, ED 6, p. U86
INSULATORS: When the gamma heat is on insulators . . ART, ED 11, p. 72
LASERS: High efficiency with a 1.06-micron laser . . NEWS, ED 13, p. 32
LASER MODULATORS: Laser light modulators utilize new crystal material . . . PF, ED 6, p. 252
MAGNETIC TAPES: Magnetic tape withstands extremes of temperature . . . PF, ED 2, p. 160
RESINS: Make early decisions count—choose the proper process . . . SR, ED 3, p. 50
Materials for embedment: Silicones and urethanes . . . SR, ED 3, p. 62
Materials for embedment: The epoxies head the list . . . SR, ED 3, p. 54
Need improved properties? Tailor them with fillers . . . SR, ED 3, p. 70
Resin embedment of electronic assemblies . . . SR, ED 3, p. 49
The proof of the potting: Selection, design, testing . . . SR, ED 3, p. 74
TEFLON FOR ICs: Teflon in microcircuits . . . NEWS, ED 3, p. 22

Medical Electronics

CLINICAL TECHNIQUES: Electrosleep: Fad or clinical tool? . . . NEWS, ED 13, p. 60
HEALTH CENTERS: Mass health centers seek new instruments . . . NEWS, ED 9, p. 25
HOSPITAL SYSTEMS: Standard electronics urged for hospitals . . . NEWS, ED 9, p. 22
RADIATION STUDIES: Federal standards due for radiation hazards . . . NEWS, ED 3, p. 22
Senate is considering revised radiation bill . . . NEWS, ED 13, p. 22

Microelectronics

A-D CONVERTER: MOS flat pack converts A to D . . . NEWS, ED 5, p. 41
AMPLIFIER COMPENSATION: Integrate a shunt-compensated stage . . . ART, ED 5, p. 66
AMPLIFIERS, IC: Low-drift IC amplifiers contain 24 active elements . . . PF, ED 8, p. 122
BONDINGS: Bonds improved in silicon ICs . . . NASA, ED 7, p. 116
COMPARATORS, DIFFERENTIAL: Simple hookup eliminates problems in using μ710 . . . IFD, ED 1, p. 146
COUNTERS: Carry out your-up-down counter designs . . ART, ED 12, p. 74
DISCRIMINATORS: Window discriminator is built with μA709 . . . IFD, ED 4, p. 124
HYBRID ICs: Right-side-up flip chip eliminates flying leads . . . NEWS, ED 5, p. 32
IC-IQ: Are 'black-box' IC specifications necessary? . . . IC-IQ, ED 12, p. 96
Are IC selling prices dictated by yields? . . . IC-IQ, ED 9, p. 72
Can bipolars and tunnel diodes or SCRs be put on the same chip? . . . IC-IQ, ED 5, p. 78
Is transistor-transistor logic a fad? . . . IC-IQ, ED 8, p. 86
What are the power limitations on integrated circuits . . . IC-IQ, ED 4, p. 98
What do you do with unused leads? . . . IC-IQ, ED 6, p. 198
What is 'popcorn' noise? . . . IC-IQ, ED 11, p. 88
What reliability figures can I expect from ICs and how are they derived? . . . IC-IQ, ED 2, p. 108
Why all the cracked dice? . . . IC-IQ, ED 13, p. 98
Why are ICs dead-on-arrival? . . . IC-IQ, ED 10, p. 96
ICs IN TV: IC use in radio-TV market hinges on cost . . NEWS, ED 5, p. 32
IC ISOLATION: Gold bridge boosts isolation in ICs . . NEWS, ED 8, p. 33
IC PACKAGES: Flip-tab fabrication helps mounting of ICs . . . PF, ED 6, p. U154
Set your own IC package standards . . . ART, ED 5, p. 56
What do you do with unused leads? . . . IC-IQ, ED 5, p. 198
IC PATTERN GENERATORS: Automated instrument produces photomasks . . . PF, ED 13, p. 136
IEEE PAPERS: Digital filtering and LSI: A repeat performance . . . SR, ED 6, p. U87
I-F STAGES: Design i-f stages with monolithic ICs . . ART, ED 11, p. 64
INDUCTORS, CHIP: Solid-chip inductor compatible with ICs . . . PF, ED 9, p. 106
INTERFACE: Single FET solves problem of interfacing p-MOS to DTL . . . IFD, ED 6, p. 220
JAPANESE ICs: Await Japan's IC push . . . NEWS, ED 10, p. 22
LARGE-SCALE INTEGRATION: Computer makers may delay LSI usage . . . NEWS, ED 13, p. 54
Design flip-flop from LSI cells . . . ART, ED 12, p. 82
Hybrid microwave LSI to operate in K band . . . NEWS, ED 2, p. 36
LSI impresses at solid-state conference . . . NEWS, ED 5, p. 25
LSI will demand new computer architecture . . . NEWS, ED 1, p. 31
LSI COMPUTERS: Fourth-generation computers will use LSI . . . NEWS, ED 9, p. C32
The LSI computers in your future . . . NEWS, ED 5, p. 26
LSI MEMORIES: LSI improves computer memory bit by bit . . . NEWS, ED 7, p. 25
MICROWAVE ICs: Lumped-element IC produces 1 W in S band . . . NEWS, ED 9, p. 32
Microwave ICs: Gains, but no revolution . . . NEWS, ED 5, p. 30
MOS MEMORIES: Drive MOS storage arrays fast . . . ART, ED 9, p. 68
MULTIVIBRATORS: IC multivibrator starts reliably and is temperature-stabilized . . . NASA, ED 12, p. 106
ONE-SHOTS: Buffer element used for long-duty-cycle one-shot . . . IFD, ED 4, p. 124
Inexpensive one-shot built with DTL inverters . . . IFD, ED 13, p. 118
OP AMPS: Dielectrically isolated op amp needs no compensation . . . PF, ED 3, p. 182
Linear monolithic operational amplifier gets matched FETs for high input impedance . . . PF, ED 3, p. 138
OSCILLATORS, HF: High-frequency oscillator uses single μA703 and an LC tank circuit . . IFD, ED 8, p. 100
PHASE-LOCKED LOOPS: Build a linear-locked loop . . . ART, ED 10, p. 90
Use ICs in your phase-locked loop . . . ART, ED 8, p. 76
RADIATION-RESISTANCE: Radiation-hardened ICs still unproved . . . NEWS, ED 4, p. 36
RECEIVERS: Dual receivers made on one chip . . . PF, ED 11, p. 134
SENSE AMPLIFIERS: Six IC sense amplifiers lean toward memory systems . . . PF, ED 4, p. 154
TEFLON ISOLATION: Teflon in microcircuits . . . NEWS, ED 3, p. 22
THERMOMETERS: An electronic thermometer uses an IC as a sensor . . . IFD, ED 11, p. 102
THICK FILMS: Thick films take spotlight at components parley . . . NEWS, ED 11, p. 22
VOLTAGE REGULATORS: Half-amp voltage regulator fits on a chip . . . NEWS, ED 5, p. 28

Microwaves

CALIBRATION: U.S. bureau improves microwave calibration . . . NEWS, ED 13, p. 22
CONNECTORS: Mix and mate type-N connectors . . . ART, ED 6, p. 212
DELAY LINES: Stable microwave delay line . . . NASA, ED 12, p. 106
DIODES: Impatts make impact at microwave meeting . . . NEWS, ED 12, p. 22
DUPLEXERS: Simple broadband junction serves as microwave duplexer . . . IFD, ED 12, p. 100
FLYING RADAR: 'Flying radar' poses a design challenge . . . NEWS, ED 7, p. 36
GERMANIUM: Pinched germanium emits microwaves . . . NEWS, ED 12, p. 33
IEEE PAPERS: Explore the heights of microwave design . . . SR, ED 6, p. U88

IMPEDANCE: Match antenna impedance with series-Q sections . . . IFD, ED 1, p. 138
INTEGRATED CIRCUITS: Lumped-element IC produces 1 W in S band . . . NEWS, ED 9, p. 32
Microwave ICs: Gain, but no revolution . . . NEWS, ED 5, p. 30
LARGE-SCALE INTEGRATION: Hybrid microwave LSI to operate in K band . . . NEWS, ED 2, p. 36
MICROWAVE OVENS: Chef RCA turns out microwave power triode . . . NEWS, ED 6, p. 21
MILLIMETER SYSTEMS: Milliwave systems make solid advances . . . NEWS, ED 3, p. 25
MIXERS: Single-ended microwave mixer made in a rectangular box . . . IFD, ED 2, p. 130
NETWORK TECHNIQUES: Insert two-port networks with ease . . . ART, ED 13, p. 94
OSCILLATORS: Oscillators use diodes to generate at 10.525 GHz . . . PF, ED 5, p. 114
P-I-N DIODES: Stripline module houses p-i-n diode . . . PF, ED 12, p. 124
PORTABLE WAR NETWORK: Air Force getting war network that can travel . . . NEWS, ED 6, p. 25
RADAR MARKET: Major growth is forecast in radar market . . . NEWS, ED 8, p. 34
RADARS: 'Fence' in sky keeps an eye on space objects . . . NEWS, ED 1, p. 33
Radar specs come with built-in headache . . . NEWS, ED 1, p. 22
RADARS, TROPOSCATTER: Troposcatter radars run into bad weather . . . NEWS, ED 2, p. 44
RAIN PENETRATION: L band to help X band through rain . . . NEWS, ED 4, p. 44
SPACE DETECTION: Seek better ways to see space objects . . . NEWS, ED 6, p. 33
TIME-DOMAIN REFLECTOMETRY: Smooth reflections with TDR in pulse active devices . . . ART, ED 1, p. 106
TUNERS: Simple slide screw tuner uses an eccentric screw . . . IFD, ED 8, p. 108
WAVEGUIDE COUPLING: Oblong coupling apertures meet waveguide filter need . . . IFD, ED 5, p. 92

Military Electronics

ATLANTIC CENTER: Atlantic test center to get sonar range . . . NEWS, ED 7, p. 34
AVIONICS: Electronics failures blamed for air losses . . NEWS, ED 13, p. 21
CONTRACTS: Contractors and Government clash over rules . . . NEWS, SR, ED 12, p. 36
FAST DESIGN: Rx for weapons problems: Fast, fast design . . . NEWS, ED 3, p. 33
F-111: F-111 cut makes waves . . . NEWS, ED 3, p. 22
Missile troubles added to F-111's aerial woes . . . NEWS, ED 9, p. 21
FLYING RADAR: 'Flying radar' poses a design challenge . . . NEWS, ED 7, p. 36
IMAGING TUBES: Army unveils GI scope that turns night into day . . . NEWS, ED 12, p. 21
JUNGLE RFI: Jungle foliage RFI tested by NBS . . . NEWS, ED 8, p. 22
MARKETS: Proxmire investigation may bring new controls . . . NEWS, ED 2, p. 21
MATERIALS: Materials problems outlined by Army . . NEWS, ED 10, p. 22
MISSILES: Back to the drawing board for Vietnam air missiles . . . NEWS, ED 1, p. 21
Defense Dept. orders multiple warheads . . . NEWS, ED 3, p. 21
Physicists criticize 'light' ballistic missile defense . . NEWS, ED 8, p. 21
NATIONAL BUDGET: Pentagon juggles funds to meet Vietnam costs . . . NEWS, ED 2, p. 22
NAVIGATION: Shed light: To hunt and kill in real time . . . NEWS, ED 2, p. 25
NAVIGATIONAL AIDS: 'Peace Pipe' pinpoints air drop . . . NEWS, ED 1, p. 38
NAVY CRYOGENICS: Navy scientists eye supercool electronics . . . NEWS, ED 10, p. 21
NAVY MISSILES: Navy strengthening its missile defense . . . NEWS, ED 6, p. 22
NUCLEAR SHIPS: Nuclear ship program draws Congress' fire . . . NEWS ED 6, p. 21
PORTABLE WAR NETWORK: Air Force getting war network that can travel . . . NEWS, ED 6, p. 25
POWER SOURCES: Fuel-cell-battery hybrids lighten GI packs . . . NEWS, ED 12, p. 32
PROCUREMENT: GAO seeking to clarify requests for proposals . . . NEWS, ED 10, p. 22
Manufacturers assail procurement red tape . . . NEWS, ED 4, p. 21
Red tape and pot shots won't reshape procurement . . . EDIT, ED 12, p. 61
RADAR: L band to help X band through rain . . . NEWS, ED 4, p. 44
RADAR MARKET: Major growth is forecast in radar market . . . NEWS, ED 8, p. 34
RELATIONS WITH THE GOVERNMENT: Government and the electronics industry: A changing partnership . . . Part I: What happens after the Vietnam War? . . . SR, ED 13, p. 37
SUBMARINE ELECTRONICS: Congressmen support Rickover on atom sub . . . NEWS, ED 9, p. 22
SUBMARINES: Loss of Scorpion poses questions on signaling . . . NEWS, ED 13, p. 21
TROPOSCATTER RADARS: Troposcatter radars run into bad weather . . . NEWS, ED 2, p. 44

Missiles

AIR-TO-AIR: Back to the drawing board for Vietnam air missiles . . . NEWS, ED 1, p. 21
F-111: Missile troubles added to F-111's aerial woes . . . NEWS, ED 9, p. 21
MULTIPLE WARHEADS: Defense Dept. orders multiple warheads . . . NEWS, ED 3, p. 21

Navigation and Guidance

INERTIAL SYSTEMS: Inertial navigation to keep jets on course . . . SR, ED 2, p. 51
TIME SIGNALS: Space pulses promise improved timing service . . . NEWS, ED 11, p. 22

Oceanology

AQUANAUTS: Aquanauts' goal: 'Cordless' living under the sea . . . NEWS, ED 4, p. 25
BUOYS: Coast Guard will direct national buoy program . . . NEWS, ED 8, p. 22
IEEE PAPERS: Oceanographic progress linked to data systems . . . SR, ED 6, p. U91
RECORDERS: Oceanographic recorder covers six channels . . . PF, ED 11, p. 120
SEALAB: Sealab to 'hold the line' at its present 600 feet . . . NEWS, ED 8, p. 22
SUBMARINES: Loss of Scorpion poses questions on signaling . . . NEWS, ED 13, p. 21

Packaging and Cooling

BLOWERS: Multi-stage blower has fan-stage flexibility . . PF, ED 6, p. U116
IC PACKAGES: Flip-tab fabrication helps mounting of ICs . . . PF, ED 6, p. U154
Set your own IC package standards . . . ART, ED 5, p. 56
What do you do with unused leads? . . . IC-IQ, ED 6, p. 198
IR DETECTORS: IR detector array contains many sensors . . . NEWS, ED 12, p. 31
MIXERS: Single-ended microwave mixer made in a rectangular box . . . IFD, ED 2, p. 130
MODULAR AMPLIFIERS: Building-block amplifiers afford system flexibility . . . PF, ED 13, p. 140
PRINTED CIRCUITS: RCA now marketing its printed circuits . . . NEWS, ED 5, p. 21
SUPERCOOLING: Navy scientists eye supercool electronics . . . NEWS, ED 10, p. 21
SWITCHES: Multiple-action switches are pushbutton controlled . . . PF, ED 6, p. U114
TAMPER-PROOF PANELS: Single U bracket makes panel tamper-proof . . . IFD, ED 3, p. 132
THERMAL RESPONSE: Get the thermal transient response . . . ART, ED 9, p. 58
WAVEGUIDE COUPLING: Oblong coupling apertures meet waveguide filter need . . . IFD, ED 5, p. 92

Power Sources

FUEL-CELL BATTERY: Fuel-cell-battery hybrids lighten GI packs . . . NEWS, ED 12, p. 32

FOR ADDITIONAL COPIES BABCOCK RELAYS INSERT, CIRCLE INFORMATION RETRIEVAL NUMBER 247 ►

REGULATORS, SHUNT: Shunt regulator is stable with temperature and line changes...IFD, ED 10, p. 118
REGULATORS, SWITCHING: Get with switching voltage regulators.....ART, ED 9, p. 62
REGULATORS, ZENER: Build a 1-V regulated supply with only two zener diodes.....IFD, ED 9, p. 84

Production Processes

BREADBOARDING: Breadboard circuits quickly and accurately without use of solder or other tools.....IFD, ED 7, p. 104
HYBRID ICs: Right-side-up flip chip eliminates flying leads.....NEWS, ED 5, p. 32
IC ISOLATION: Gold bridge boosts isolation in ICs....NEWS, ED 8, p. 33
IC PATTERN GENERATORS: Automated instrument produces photomasks.....PF, ED 13, p. 136
LIFTERS: Hot-blade cutting tool removes potted components.....IFD, ED 13, p. 118
Simple tool removes plug-in modules.....IFD, ED 2, p. 136
PHOTORESISTANCE: Photoresist film faster than liquid.....NEWS, ED 4, p. 33
SILICON WAFERS: Controls impurities in silicon wafer.....NASA, ED 6, p. 240D
SORTING: Simple trick doubles sorting machine capacity.....IFD, ED 2, p. 128
TEXT FIXTURES: 'Hands-off' test fixture checks production assemblies.....IFD, ED 9, p. 90
THICK FILMS: Thick films take spotlight at components parley.....NEWS, ED 11, p. 22
ULTRASONIC TOOLS: Ultrasonic tool shapes ceramics..PF, ED 3, p. 174

Radio Frequency Interference

NOISE ELIMINATION: Design noise out of spacecraft payloads.....ART, ED 8, p. 64
SATELLITES: Satellites may end aviation radio blackout.....SR, ED 2, p. 58
SATURN V: Concentrated rf hazard for Saturn V?..NEWS, ED 10, p. 25
SPACE: Rf crowding in space reported nearing crisis...NEWS, ED 7, p. 21

Reliability

AVIONICS: Electronics failures blamed for air losses..NEWS, ED 13, p. 21
INFRARED TESTING: Infrared put to work to improve reliability.....SR, ED 6, p. U93
POWER TRANSISTORS: Cut down on power transistor failures.....ART, ED 10, p. 72
SUBMARINE ELECTRONICS: Loss of Scorpion poses questions on signaling.....NEWS, ED 13, p. 21

Research and Development

ASTRONOMY: Clock-like space pulses puzzle astronomers.....NEWS, ED 7, p. 22
GRAVITY SENSING: Moving mass sensor measures gravity.....NEWS, ED 10, p. 32
HOLOGRAMS: Hologram self-portrait made in a hurry.....NEWS, ED 8, p. 21
Soviet aims to develop undersea holography....NEWS, ED 11, p. 21
LASER TUNERS: Laser tuned by cooling optical crystal.....NEWS, ED 7, p. 33
MARKETS: R&D spending to rise while growth rate sags.....NEWS, ED 1, p. 22
SUPERCOOLING: Navy scientists eye supercool electronics.....NEWS, ED 10, p. 21

Semiconductors

BREAKDOWN: Breakdown voltages found without curve tracers.....IFD, ED 2, p. 132
COMPLEMENTARIES: Complementary pnp transistors offered in the 2-to-12-A range.....PF, ED 11, p. 106
GERMANIUM: Pinched germanium emits microwaves.....NEWS, ED 12, p. 33
DIODES: Hot-carrier junction diode has a 100-ps carrier life.....PF, ED 6, p. 292
Oscillators use diodes to generate at 10.525 GHz...PF, ED 5, p. 114
IC PACKAGES: Set your own IC package standards....ART, ED 5, p. 56
INDUCTORS, CHIP: Solid-chip inductor compatible with ICs.....PF, ED 9, p. 106
JAPANESE ICs: Await Japan's IC push.....NEWS, ED 10, p. 22
LARGE-SCALE INTEGRATION: Hybrid microwave LSI to operate in K band.....NEWS, ED 2, p. 36
MAGNETIC SENSORS: P-i-n diode detects magnetic field.....NEWS, ED 9, p. 30
POWER FETs: Power FET gives 1/2 W yields at 100 MHz.....PF, ED 11, p. 108
POWER TRANSISTORS: Cut down on power transistor failures.....ART, ED 10, p. 72
Silicon power transistor will dissipate 350 watts...PF, ED 4, p. 152
RECTIFIERS: High-voltage silicon rectifier has high-temperature bond.....PF, ED 12, p. 122
10-to-150-kV rectifiers are surge-compensated.....PF, ED 1, p. 154
TESTERS: Go/no-go tester checks SCRs, npn and pnp transistors.....IFD, ED 12, p. 112
THERMAL RESPONSE: Get the thermal transient response.....ART, ED 9, p. 58
TRANSISTOR/DIODE DIRECTORY: Electronic Design Transistor/Diode Directory.....SR, ED 10, p. 128A
TRANSISTORS, UHF: Get uhf transistor parameters with 8-ohm slotted line.....IFD, ED 8, p. 106
TRANSISTORS, UNIJUNCTION: Unijunction transistors are programmable.....PF, ED 1, p. 150
TRIODES, SOLID-STATE: Solid-state triode operates like a vacuum tube.....NEWS, ED 6, p. 38

Sonar and Ultrasonics

ATLANTIC CENTER: Atlantic test center to get sonar range.....NEWS, ED 7, p. 34
HOLOGRAPHY "SONAR": Soviet aims to develop undersea holography...NEWS, ED 11, p. 21
SUBMARINE ELECTRONICS: Loss of Scorpion poses questions on signaling.....NEWS, ED 13, p. 21

Space

APOLLO: NASA may delay next Apollo mission.....NEWS, ED 9, p. 22
'Reborn' oil tanker to help track spacecraft on Apollo missions.....NEWS, ED 1, p. 36
COMSAT: Comsat is soliciting bids for 2 advanced Intelsats.....NEWS, ED 5, p. 22
EARTH STUDIES: Space designers urged to help exploit earth.....SR, ED 6, p. U78
LUNAR EXPLORATION: Low-budget moon trips will follow Apollo craft.....NEWS, ED 5, p. 21
Lunar module makes good first flight test.....NEWS, ED 3, p. 21
Surveyor 7 photographs laser beams from earth....NEWS, ED 3, p. 22
MANNED SPACECRAFT: NASA seeks advances in manned-space design..NEWS, ED 5, p. 21
RADARS: 'Fence' in sky keeps an eye on space objects.....NEWS, ED 1, p. 33
RFI: Rf crowding in space reported nearing crisis...NEWS, ED 7, p. 21
SATELLITES: Satellites may end aviation radio blackout.....SR, ED 2, p. 58
SATURN V RFI: Concentrated rf hazard for Saturn V?.....NEWS, ED 10, p. 25
SPACE BUDGET: 2 rocket leaders blast U.S. space budget cuts.....NEWS, ED 4, p. 21
SPACE DETECTION: Seek better ways to see space objects.....NEWS, ED 6, p. 33
SOVIET: Pace of Soviet space activities quickens..NEWS, ED 10, p. 21
Soviet's lunar craft only a partial success.....NEWS, ED 7, p. 22
2 Soviet spaceships dock using radar and TV...NEWS, ED 9, p. 22
TTS-1: All systems are go on TTS-1 satellite.....NEWS, ED 2, p. 22
VIDICONS: Vidicon tubes sought to monitor space..NEWS, ED 4, p. 22
WEATHER SATELLITES: Satellite will picture weather in 3 dimensions...NEWS, ED 9, p. 22

System Design

ANTENNAS: Design and analyze antenna systems.....NASA, ED 10, p. 114
COUNTERS: Carry out your up-down counter designs.....ART, ED 12, p. 74
NOISE ELIMINATION: Design noise out of spacecraft payloads.....ART, ED 8, p. 64
PROGRAMMABLE MONITORS: Programmable monitors blink their warnings.....PF, ED 9, p. 96
SATURN V RFI: Concentrated rf haz-

The new Johanson 7200 capacitor helps you make ends meet.



Solder directly on P/C board (minimum stray capacity).

Solder one end to coupling link and other end to cavity wall.



Solder ends to terminals of another component.



Solder one end to P/C board and attach lead to other end.

The new Johanson 7200 capacitor is ideal for balancing of semi-conductors and microwave components, for trimming of small fixed capacitors, for UHF oscillators, for coupling (VHF and UHF), for terminations for UHF coupling links, and for strip lines and modular blocks.

The 7200 features tubular electrodes which provide for low losses and low inductance at microwave frequencies. They also feature a *low minimum capacitance* 0.1 pF (10:1 tuning ratio) and Q of 500 at *200* MHz. Call or write for complete information.

ACTUAL SIZE

Johanson MANUFACTURING CORPORATION

Electronic Accuracy Through Mechanical Precision

400 Rockaway Valley Road, Boonton, N.J. 07005 (201) 334-2676

INFORMATION RETRIEVAL NUMBER 48

ard for Saturn V? . . . NEWS, ED 10, p. 25

SPECTRUM ANALYZERS: Spectrum analyzers nip 'overmodulators' . . . NEWS, ED 10, p. 32

STATE VARIABLES: Put state variables to work . . . ART, ED 12, p. 64

Telemetering

BUOYS: Coast Guard will direct national buoy program . . . NEWS, ED 8, p. 22

TEMPERATURE TELEMETERING: Telemeter temperature with a simple circuit . . . IFD, ED 11, p. 96

Test Equipment and Measuring

AUTOMATIC CHECKOUT: Automatic checkout for flaw-free flying . . . SR, ED 2, p. 55

BREAKDOWN: Breakdown voltages found without curve tracers . . . IFD, ED 2, p. 132

COMPARATORS: Logic controls measurements . . . NASA, ED 1, p. 136

COUNTERS: Carry out your up-down counter designs . . . ART, ED 12, p. 74

Counter-range extender divides to multiply . . . PF, ED 4, p. 130

DECADE BOXES: Resistance decades have 0.005% accuracy . . . PF, ED 12, p. 129

DVMs: Simplify your DVM selection . . . ART, ED 4, p. 76

ELECTROMETERS: Versatile electrometer is stable to 20 μV a day . . . PF, ED 3, p. 168

FET MATCHING: Simple test circuit matches FETs quickly . . . IFD, ED 8, p. 104

FREQUENCY SYNTHESIZERS: Frequency synthesizer is a digitally controlled oscillator . . . NASA, ED 6, p 234

GENERATORS, SQUARE WAVE: Low-cost components form a square-wave generator . . IFD, ED 4, p. 120

Vary frequency and duty cycle of a square wave independently . . . IFD, ED 13, p. 116

GENERATORS, SWEEP: Sweep synthesizer has 100-MHz sweep width . . . PF, ED 1, p. 166

GRAVITY SENSING: Moving mass sensor measures gravity . . . NEWS, ED 10, p. 32

INDICATOR CIRCUITS: Fast indicator circuit is simple and versatile . . . IFD, ED 10, p. 126

INFRARED TESTING: Infrared put to work to improve reliability . . . SR, ED 6, p. U93

LEAKAGE: Capacitor leakage tester checks production units . . . IFD, ED 2, p. 132

LIQUID CRYSTALS: Colorful cholesterics finding bright future . . . NEWS, ED 10, p. 34

Liquid crystals stir application activity . . . NEWS, ED 6, p. 22

MAGNETIC SENSORS: P-i-n diode detects magnetic field . . . NEWS, ED 9, p. 30

MEASUREMENT, POWER: Device speeds rf power check . . . NEWS, ED 10, p. 42

MEASUREMENT, RESISTANCE: Single SCR can detect 0.1-Ω resistance change . . . IFD, ED 7, p. 110

METERS: Taut-band or pivot-and-jewel? . . . . . ART, ED 2, p. 100
METERS, POWER: Digital rf power meter has BCD band, analog outputs . . . . . PF, ED 5, p. 118
MICROSCOPES: Photographic microscope shows a 1/4 in. depth of field . . . . . PF, ED 8, p. 114
MONITORING: Monitor dc levels with a simple circuit . . . . . IFD, ED 12, p. 110
OSCILLOSCOPES: Oscilloscope functions as chart recorder amplifier . . . . . IFD, ED 3, p. 132
PLOTTERS: Oscilloscope can be used as two-dimensional analyzer . . . . . NASA, ED 2, p. 125
Subroutines simplify plotter operation . . . . . NASA, ED 1, p. 136
PROGRAMMABLE MONITORS: Programmable monitors blink their warnings . . . . . PF, ED 9, p. 96
PROBES: Old ballpoint pens make handy test prods . . . . . IFD, ED 2, p. 130
SEMICONDUCTOR TESTER: Go/no-go tester checks SCRs, npn, pnp transistors . . . . . IFD, ED 12, p. 112
SPECTRUM ANALYERS: Calibrated spectrum analyzer opens up frequency domain . . PF, ED 13, p. 122
Spectrum analyzers nip 'overmodulators' . . . . . NEWS, ED 10, p. 32
'Ten-kHz' spectrum analyzer can pick signals from noise . . . . . PF ED 8, p. 134
TEMPERATURE SENSORS: A multivibrator converts temperature to frequency . . . . . IFD, ED 13, p. 114
TEST FIXTURES: 'Hands-off' test fixture checks production assemblies . . . . . IFD, ED 9, p. 90
TEST RECORDERS: Printing digitizer records 100 tests . . . . . PF, ED 13, p. 152
THERMOMETERS: An electronic thermometer uses an IC as a sensor . . . . . IFD, ED 11, p. 102
TIME-DOMAIN REFLECTOMETRY: Smooth reflections with TDR in pulse-active devices . . . . . ART, ED 1, p. 106
TRANSFER OSCILLATORS: Transfer oscillator measures to 18 GHz . . . . . PF, ED 4, p. 128
TRANSISTORS, UHF: Get uhf transistor parameters with 8-ohm slotted line . . . . . IFD, ED 8, p. 106
TV X-RAYS: TV X-ray detector designed . . . . . NEWS, ED 10, p. 40
WIRING TESTS: Cut wiring-system tests exponentially . . . . . ART, ED 3, p. 94

Tubes

CHARACTER GENERATORS: New character generator improves graphic display . . . . . NEWS, ED 13, p. 33
COLOR TV TUBES: Brighter TV color tubes introduced by Sylvania . . . . . NEWS, ED 6, p. 22
CRT DEFLECTION: Try electromagnetic defection systems . . . . . ART, ED 4, p. 66
ORTHICONS: Electronic shutter gates orthicon . . . . . NASA, ED 2, p. 120
TRIODES: Triode-power oven allows load changes . . . NEWS, ED 9, p. 33
VIDICONS: Vidicon tubes sought to monitor space . . NEWS, ED 4, p. 22

NEW VISIBLE LIGHT EMITTING DIODE with a brightness of 450 footlamberts

	Model MV10A	Model MV10B
Forward bias (I_f=50ma)	1.65 volts	1.65 volts
On-off cycle time	10 nsec	10 nsec
Wavelength range	6500-7000Å	6500-7000Å
Brightness (I_f=50ma)	115-300 ftL	115-450 ftL
Price (in lots of 1000)	$4.00 to $18.00	

From film annotation to panel indicators, Monsanto's visible LEDs deliver solid state reliability, miniature size, low power consumption. And they're available off the shelf.

Other Monsanto Optoelectronic Devices

Infrared LED	MI20B—200 microwatts radiated power
	MI20C—1.5 milliwatts radiated power
Lasers	ML30C—0.5 watts peak power output
Arrays	MA10A—alpha-numeric visible array

Monsanto
ELECTRONIC SPECIAL PRODUCTS
800 N. Lindbergh Blvd., St. Louis, Missouri 63166 / (314) 694-4639 or 4642

Interested in career opportunities? Send resumé to Manager Professional Recruiting. An equal opportunity employer.

INFORMATION RETRIEVAL NUMBER 49